



**APPROVED**  
**2025 AMA Racing Minicycles/Motorcycles**

For questions, please contact  
 mxracing@ama-cycle.org

<b>Manufacturer Model</b>	<b>Beta RR125 Race Edition</b>	<b>Beta 300</b>	<b>Beta 450RC</b>	<b>Beta 450RX</b>	<b>COBRA CXe3</b>	<b>COBRA CXe5</b>
<b>Model Year</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>
<b>Bore</b>	54 mm	72 mm	97 mm	97 mm	n/a	n/a
<b>Stroke</b>	54.5 mm	72 mm	60.8 mm	60.8 mm	n/a	n/a
<b>Displacement</b>	124.8cc	293.1cc	449.3	449.3	n/a	n/a
<b>Cylinder Liner</b>	Nikasil	Nikasil	Nikasil	Nikasil	Electric	Electric
<b>Carburetion</b>	Keihin 36	Keihin 38mm	Bosch 46mm	Bosch 46mm	1.0 KW	1.0 KW
<b>Transmission</b>	6 Speed	5 Speed	5 Speed	5 Speed	Single Auto	Single Auto
<b>Front Suspension Travel</b>	KYB 48 mm / 11.8 in	KYB 50mm 12	KYB 50mm 12	KYB 50mm 12	C.A.R.D. 32 mm / 6.7 in	C.A.R.D. 32 mm / 8.3 in
<b>Rear Suspension Travel</b>	Sachs / 11.3 in	Sachs / 11.8 in	37.2	37.2	C.A.R.D. / 6.7 in	C.A.R.D. / 9.8 in
<b>Wheelbase</b>	58.1 in				36 in	41 in
<b>Overall Length</b>	85.3 in	85.9 in	85.9 in	85.9 in	52 in	55 in
<b>Front Wheel Size</b>	21 in	21 in	21 in	21 in	10 in	12 in
<b>Rear Wheel Size</b>	18 in	19 in	18 in	19 in	10 in	10 in
<b>Seat Height</b>	36.6 in	37.2 in	37.2 in	37.2 in	24 in	28 in
<b>Class 1 51cc Limited 4-6</b>						<b>Yes</b>
<b>Class 2 51cc Limited 7-8</b>						<b>Yes</b>
<b>Class 3 51cc Limited 4-8 (O.I.)</b>						<b>No</b>
<b>Class 4 51cc Limited 4-8 Single or Multispeed Auto</b>						<b>Yes</b>
<b>Accessories or extra parts included in bike purchase IE Pistons, mapping tools, Air box Manuals</b>					<b>Charger</b>	<b>Charger</b>

Updated 3/7/2025



**APPROVED**  
**2025 AMA Racing Minicycles/Motorcycles**

For questions, please contact  
 mxracing@ama-cycle.org

<b>Manufacturer Model</b>	<b>COBRA CX50 JR</b>	<b>COBRA CX50 SR/King</b>	<b>COBRA CX50 FEW</b>	<b>COBRA CX65</b>	<b>DRR DB50 JR</b>	<b>DRR DB 90 SR</b>
<b>Model Year</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2024</b>	<b>2024</b>
<b>Bore</b>	39 mm	39 mm	39 mm	44.5 mm	40 mm	52 mm
<b>Stroke</b>	41.7 mm	41.7 mm	41.7 mm	41.7 mm	39.2 mm	42 mm
<b>Displacement</b>	49.8cc	49.8cc	49.8cc	64.9cc	49.3cc	89.2cc
<b>Cylinder Liner</b>	Nikasil	Nikasil	Nikasil	Nikasil	N/A	N/A
<b>Carburetion</b>	Dell'Orto 19mm w/14mm restrictor	Dell'Orto 19mm	Dell'Orto 19mm	Mikuni 26mm	PWK 21 mm	PWK 28 mm
<b>Transmission</b>	Single Auto	Single Auto	Single Auto	6 Gears	CVT	CVT
<b>Front Suspension Travel</b>	C.A.R.D. 32mm / 6.7 in	C.A.R.D. 32mm / 8.3 in	C.A.R.D. 32mm / 8.3 in	C.A.R.D. 37mm / 8.7 in	DRR DNM gas charged mono shock 63 mm travel	DRR DNM 7.5 in travel
<b>Rear Suspension Travel</b>	C.A.R.D. / 6.7 in.	C.A.R.D. / 9.8 in	C.A.R.D. / 9.8 in	C.A.R.D. / 9.6 in	DRR DNM gas charged mono shock 50 mm travel	DRR DNM remote gas charged 7.75 in travel
<b>Wheelbase</b>	36 in	39 in	41 in	44.5 in	40 in	40 in
<b>Overall Length</b>	52 in	55 in	55 in	63.5 in	58.5 in	58.5 in
<b>Front Wheel Size</b>	10 in	12 in	12 in	14 in	10 in	10 in
<b>Rear Wheel Size</b>	10 in	10 in	10 in	12 in	7 in	7 in
<b>Seat Height</b>	23.9 in	26.8 in	26 in	30 in	25 in	23.4 in.
<b>Class 1 51cc Limited 4-6</b>	<b>Yes</b>	<b>No</b>	<b>No</b>		<b>Yes</b>	<b>No</b>
<b>Class 2 51cc Limited 7-8</b>	<b>Yes</b>	<b>Yes</b>	<b>Yes</b>		<b>Yes</b>	<b>Yes</b>
<b>Class 3 51cc Limited 4-8 (O.I.)</b>	<b>No</b>	<b>No</b>	<b>No</b>		<b>No</b>	<b>No</b>
<b>Class 4 51cc Limited 4-8 Single or Multispeed Auto</b>	<b>No</b>	<b>No</b>	<b>No</b>		<b>Yes</b>	<b>No</b>
<b>Accessories or extra parts included in bike purchase IE Pistons, mapping tools, Air box Manuals</b>						

Updated 3/7/2025



**APPROVED**  
**2025 AMA Racing Minicycles/Motorcycles**

For questions, please contact  
 mxracing@ama-cycle.org

<b>Manufacturer Model</b>	<b>DRR DR-X EV Enduro</b>	<b>GAS GAS E Bike</b>	<b>GAS GAS MC50</b>	<b>GAS GAS MC65</b>	<b>GAS GAS MC85</b>	<b>GAS GAS MC 85 Big Wheel</b>
<b>Model Year</b>	<b>2024</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>
<b>Bore</b>	n/a	n/a	39.5 mm	45.0 mm	47.0 mm	47.0 mm
<b>Stroke</b>	n/a	n/a	40.0 mm	40.8 mm	48.95 mm	48.95 mm
<b>Displacement</b>	n/a	n/a	49cc	64.9cc	84.9cc	84.9cc
<b>Cylinder Liner</b>	Electric	Electric	N/A	Plated	Plated	Plated
<b>Carburetion</b>	5BAH	21Ah/907.Wh	Dell'Orto 19mm	Mikuni 24mm	Keihin 28mm	Keihin 28mm
<b>Transmission</b>	4 Gears	Single Auto	Single Auto	6 Gears	6 Gears	6 Gears
<b>Front Suspension Travel</b>	RTC / T17 41 mm	XACT WP AER 35 / 8.7 in	XACT WP AER 35 / 205mm	XACT WP USD 35 / 205mm	XACT WP USD 43 / 278 mm	XACT WP USD 43 / 278 mm
<b>Rear Suspension Travel</b>	RTC / 17 single shock	XACT WP Single Shock / 7.2 in	XACT WP Single Shock / 185mm	XACT WP 3614 BAVP / 10.63 in	XACT WP 4618 BAVP DCC / 305 mm	XACT WP 4618 BAVP DCC / 305 mm
<b>Wheelbase</b>	57.1 in	40.6	40.63 in	44.76 in	50.79 in	50.79 in
<b>Overall Length</b>	83.1 in		N/A	N/A	N/A	N/A
<b>Front Wheel Size</b>	21 in	12in	12 in	14 in	17 in	19 in
<b>Rear Wheel Size</b>	18 in	10in	10 in	12 in	14 in	16 in
<b>Seat Height</b>	34.2 in	26.2	26.2 in	29.53 in	35	35
<b>Class 1 51cc Limited 4-6</b>			<b>No</b>			
<b>Class 2 51cc Limited 7-8</b>			<b>Yes</b>			
<b>Class 3 51cc Limited 4-8 (O.I.)</b>			<b>No</b>			
<b>Class 4 51cc Limited 4-8 Single or Multispeed Auto</b>			<b>No</b>			
<b>Accessories or extra parts included in bike purchase IE Pistons, mapping tools, Air box Manuals</b>	<b>Charger</b>	<b>Charger</b>				

Updated 3/7/2025



**APPROVED**  
**2025 AMA Racing Minicycles/Motorcycles**

For questions, please contact  
 mxracing@ama-cycle.org

<b>Manufacturer Model</b>	<b>GAS GAS MC125</b>	<b>GAS GAS MC150</b>	<b>GAS GAS MC250</b>	<b>GAS GAS MC250 F</b>	<b>GAS GAS MC250 F Factory</b>	<b>GAS GAS MC300</b>
<b>Model Year</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>
<b>Bore</b>	54.0 mm	54.0 mm	66.4 mm	81.0 mm	81.0 mm	72.0 mm
<b>Stroke</b>	54.5 mm	54.5 mm	72.0 mm	48.5	48.5	72.0 mm
<b>Displacement</b>	124.8cc	144cc	249cc	249.7cc	249.7cc	292.9cc
<b>Cylinder Liner</b>	Plated	Plated	Plated	Plated	N/A	Plated
<b>Carburetion</b>	Mikuni 38mm	Mikuni 38mm	Mikuni 38mm	Keihin EFI 44mm	Keihin EFI 44mm	Mikuni 38mm
<b>Transmission</b>	6 Gears	6 Gears	5 Gears	5 Gears	5 Gears	5 Gears
<b>Front Suspension Travel</b>	XACT WP AER 48 / 310 mm	XACT WP USD 48 / 310 mm	XACT WP USD 48 / 310 mm	XACT WP AER 48 / 310 mm	XACT WP AER 48 / 310 mm.	XACT WP USD 48 / 310 mm.
<b>Rear Suspension Travel</b>	XACT WP 5018 DCC / 300 mm	XACT WP 300 mm	XACT WP 300 mm	XACT WP 5018 DCC / 300 mm	XACT WP Single Shock / 300 mm.	
<b>Wheelbase</b>	58.46 in.	58.5 in.	58.5 in.	58.85 in.	58.5 in.	58.5 in.
<b>Overall Length</b>	N/A	N/A	N/A	N/A	N/A	N/A
<b>Front Wheel Size</b>	21 in	21 in	21 in	21 in	21 in.	21 in.
<b>Rear Wheel Size</b>	19 in	19 in	19 in	19 in	19 in.	19 in.
<b>Seat Height</b>	37.4 in	37.4 in	37.4 in	37.4 in	37.4 in.	37.4 in.
<b>Class 1 51cc Limited 4-6</b>						
<b>Class 2 51cc Limited 7-8</b>						
<b>Class 3 51cc Limited 4-8 (O.I.)</b>						
<b>Class 4 51cc Limited 4-8 Single or Multispeed Auto</b>						
<b>Accessories or extra parts included in bike purchase IE Pistons, mapping tools, Air box Manuals</b>						

Updated 3/7/2025



**APPROVED**  
**2025 AMA Racing Minicycles/Motorcycles**

For questions, please contact  
 mxracing@ama-cycle.org

Manufacturer Model	GAS GAS MC350 F	GAS GAS MC450 F	GAS GAS MC450 F Factory	HONDA CRF150R	HONDA CRF150R B	HONDA CRF250R
<b>Model Year</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>
<b>Bore</b>	81.0 mm	95.0 mm	95.0 mm	66 mm	66 mm	79 mm
<b>Stroke</b>	48.5	63.4 mm	63.4 mm	43.7 mm	43.7 mm	50.9 mm
<b>Displacement</b>	249.7cc	449.9cc	449.9cc	149cc	149cc	249cc
<b>Cylinder Liner</b>	Plated	Plated	Plated	Chrome Nikasil	Chrome Nikasil	Chrome Nikasil
<b>Carburetion</b>	Keihin EFI 44mm	Keihin EFI 44mm	Keihin EFI 44mm	Keihin 32mm	Keihin 32mm	Keihin EFI 44mm
<b>Transmission</b>	5 Gears	5 Gears	5 Gears	5 Gears	5 Gears	5 Gears
<b>Front Suspension Travel</b>	XACT WP AER 48 / 310.	XACT WP AER 48 / 310.	XACT WP AER 48 / 310.	Showa Inverted Cartridge 37mm / 9.5in.	Showa Inverted Cartridge 37mm / 9.5in.	Showa SPG Coil- spring fork 49mm /10.75 in.
<b>Rear Suspension Travel</b>	XACT WP 5018 DCC / 300 mm.	XACT WP 5018 DCC / 300 mm.	XACT WP 5018 DCC / 300 mm.	Showa Pro-Link / 10.7 in.	Showa Pro-Link / 11.1 in.	Showa Pro-Link / 12.1 in.
<b>Wheelbase</b>	58.85 in.	58.46 in.	58.46 in.	49.6 in.	50.6	58.4
<b>Overall Length</b>	N/A	N/A	N/A	72.1 in.	74.8	85.9
<b>Front Wheel Size</b>	21 in.	21 in.	21 in.	17 in.	19 in	21 in.
<b>Rear Wheel Size</b>	19 in.	19 in.	19 in.	14 in.	16 in	19 in.
<b>Seat Height</b>	37.4 in.	37.4 in.	37.4 in.	32.8 in.	34.1	37.6 in.
<b>Class 1 51cc Limited 4-6</b>						
<b>Class 2 51cc Limited 7-8</b>						
<b>Class 3 51cc Limited 4-8 (O.I.)</b>						
<b>Class 4 51cc Limited 4-8 Single or Multispeed Auto</b>						
Accessories or extra parts included in bike purchase IE Pistons, mapping tools, Air box Manuals						

Updated 3/7/2025



**APPROVED**  
**2025 AMA Racing Minicycles/Motorcycles**

For questions, please contact  
 mxracing@ama-cycle.org

Manufacturer Model	HONDA CRF250RWE	HONDA CRF450R	HONDA CRF450RWE	Husqvarna EE-5	Husqvarna TC 50	Husqvarna TC 65
<b>Model Year</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2024</b>	<b>2025</b>	<b>2025</b>
<b>Bore</b>	79mm	96 mm	96 mm	n/a	39.5 mm	45 mm
<b>Stroke</b>	50.9	62.1 mm	62.1 mm	n/a	40.0 mm	40.8 mm
<b>Displacement</b>	249cc	449cc	449cc	n/a	49cc	64.9cc
<b>Cylinder Liner</b>	Chrome Nikasil	Chrome Nikasil	Chrome Nikasil	Electric	N/A	N/A
<b>Carburetion</b>	Keihin EFI 44mm	Keihin EFI 44mm	Keihin EFI 44mm	21Ah/907.Wh	Dell'Orto 19mm	Mikuni 24mm
<b>Transmission</b>	5 Gears	5 Gears	5 Gears	Single Auto	Single Auto	6 Gears
<b>Front Suspension Travel</b>	Showa SPG Coil-spring fork 49mm /10.75 in.	Showa Inverted Fork 49mm 10.75 in.	Showa Inverted Fork 49mm 10.75 in.	XACT WP AER 35 / 8.7 in.	XACT WP AER 35 / 8.1 in.	XACT WP AER 35 / 8.46 in.
<b>Rear Suspension Travel</b>	Showa Pro-Link / 12.1 in.	Showa Pro-Link / 12.2 in.	Showa Pro-Link / 12.2 in.	XACT WP Single Shock / 7.2 in.	XACT WP Single Shock / 7.3 in.	XACT WP Single Shock / 10.63 in.
<b>Wheelbase</b>	58.4	58.3 in.	58.3 in.	40.6	40.63 in.	44.76 in.
<b>Overall Length</b>	86.2	85.9 in.	85.9 in.		N/A	N/A
<b>Front Wheel Size</b>	21 in.	21 in.	21 in.	12in	12 in.	14 in.
<b>Rear Wheel Size</b>	19 in.	19 in.	19 in.	10in	10 in.	12 in.
<b>Seat Height</b>	37.9 in.	37.8 in.	37.8 in.	26.2	26.2 in.	29.53 in.
<b>Class 1 51cc Limited 4-6</b>				<b>Yes</b>	<b>No</b>	
<b>Class 2 51cc Limited 7-8</b>				<b>Yes</b>	<b>Yes</b>	
<b>Class 3 51cc Limited 4-8 (O.I.)</b>				<b>Yes</b>	<b>No</b>	
<b>Class 4 51cc Limited 4-8 Single or Multispeed Auto</b>				<b>Yes</b>	<b>No</b>	
<b>Accessories or extra parts included in bike purchase IE Pistons, mapping tools, Air box Manuals</b>				<b>Charger</b>		

Updated 3/7/2025



**APPROVED**  
**2025 AMA Racing Minicycles/Motorcycles**

For questions, please contact  
 mxracing@ama-cycle.org

<b>Manufacturer Model</b>	<b>Husqvarna TC 85</b>	<b>Husqvarna TC 85 Big Wheel</b>	<b>Husqvarna TC 125</b>	<b>Husqvarna TC 150</b>	<b>Husqvarna TC 250</b>	<b>Husqvarna FC 250</b>
<b>Model Year</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>
<b>Bore</b>	47 mm	47 mm	54 mm	54.0 mm	66.4 mm	81.0 mm
<b>Stroke</b>	48.95 mm	48.95 mm	54.5 mm	54.5 mm	72 mm	48.5
<b>Displacement</b>	84.9cc	84.9cc	124.8cc	144cc	249cc	249.7cc
<b>Cylinder Liner</b>	N/A	N/A	N/A	Plated	N/A	N/A
<b>Carburetion</b>	Keihin PWK 28mm	Keihin PWK 28mm	Mikuni 38mm	Mikuni 38mm	Mikuni 38mm	Keihin EFI 44mm
<b>Transmission</b>	6 Gears	6 Gears	6 Gears	6 Gears	5 Gears	5 Gears
<b>Front Suspension Travel</b>	XACT WP USD 43mm Air-spring fork 10.94 in.	XACT WP USD 43mm Air-spring fork 10.94 in.	XACT WP AER 48 / 310 mm.	XACT WP USD 48 / 310 mm.	XACT WP AER 48 / 310 mm.	XACT WP AER 48 / 310 mm.
<b>Rear Suspension Travel</b>	XACTWP Single Shock / 12.01 in.	XACTWP Single Shock / 12.01 in.	XACT WP Single Shock / 300 mm.	XACT WP 300 mm.	XACT WP Single Shock / 300 mm.	XACT WP Single Shock / 300 mm.
<b>Wheelbase</b>	50.79 in.	50.79 in.	58.5 in	58.5 in.	58.5 in.	58.5 in.
<b>Overall Length</b>	N/A	N/A	N/A	N/A	N/A	N/A
<b>Front Wheel Size</b>	17 in.	19 in.	21 in.	21 in.	21 in.	21 in.
<b>Rear Wheel Size</b>	14 in.	16 in.	19 in.	19 in.	19 in.	19 in.
<b>Seat Height</b>	34.07 in.	35.04 in.	37.4 in.	37.4 in.	37.4 in.	37.4 in.
<b>Class 1 51cc Limited 4-6</b>						
<b>Class 2 51cc Limited 7-8</b>						
<b>Class 3 51cc Limited 4-8 (O.I.)</b>						
<b>Class 4 51cc Limited 4-8 Single or Multispeed Auto</b>						
<b>Accessories or extra parts included in bike purchase IE Pistons, mapping tools, Air box Manuals</b>						

Updated 3/7/2025



**APPROVED**  
**2025 AMA Racing Minicycles/Motorcycles**

For questions, please contact  
 mxracing@ama-cycle.org

Manufacturer Model	Husqvarna FC 250 Rockstar	Husqvarna TC 300	Husqvarna FC 350	Husqvarna FC 450	Husqvarna FC 450 Rockstar	KAWASAKI KX65
<b>Model Year</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>
<b>Bore</b>	81.0 mm	72.0 mm	88 mm	95 mm	95 mm	44.5 mm
<b>Stroke</b>	48.5	72.0 mm	57.5 mm	63.4 mm	63.4 mm	41.6 mm
<b>Displacement</b>	249.7cc	292.9cc	349.7cc	449.9cc	449.9cc	64cc
<b>Cylinder Liner</b>	N/A	Plated	N/A	N/A	N/A	Electrofusion
<b>Carburetion</b>	Keihin EFI 44mm	Mikuni 38mm	Keihin EFI 44mm	Keihin EFI 44mm	Keihin EFI 44mm	Mikuni 24mm
<b>Transmission</b>	5 Gears	5 Gears	5 Gears	5 Gears	5 Gears	6 Gears
<b>Front Suspension Travel</b>	XACT WP AER 48 / 310 mm.	XACT WP USD 48 / 310 mm.	XACT WP AER 48 / 310 mm.	XACT WP AER 48 / 310 mm.	XACT WP AER 48 / 310 mm.	KYB 33mm Conventional / 8.3 in.
<b>Rear Suspension Travel</b>	XACT WP Single Shock / 300 mm.	XACT WP 300 mm.	XACT WP Single Shock / 300 mm.	XACT WP Single Shock / 300 mm.	XACT WP Single Shock / 300 mm.	KYB Single Shock / 9.4 in.
<b>Wheelbase</b>	58.5 in.	58.5 in.	58.5 in.	58.5 in.	58.5 in.	44.1 in.
<b>Overall Length</b>	N/A	N/A	N/A	N/A	N/A	62.6 in.
<b>Front Wheel Size</b>	21 in.	21 in.	21 in.	21 in.	21 in.	14 in.
<b>Rear Wheel Size</b>	19 in.	19 in.	19 in.	19 in.	19 in.	12 in.
<b>Seat Height</b>	37.4 in.	37.4 in.	37.4 in.	37.4 in.	37.4 in.	22.9 in.
<b>Class 1 51cc Limited 4-6</b>						
<b>Class 2 51cc Limited 7-8</b>						
<b>Class 3 51cc Limited 4-8 (O.I.)</b>						
<b>Class 4 51cc Limited 4-8 Single or Multispeed Auto</b>						
<b>Accessories or extra parts included in bike purchase IE Pistons, mapping tools, Air box Manuals</b>						

Updated 3/7/2025





**APPROVED**  
**2025 AMA Racing Minicycles/Motorcycles**

For questions, please contact  
 mxracing@ama-cycle.org

Manufacturer Model	KAWASAKI KX85	KAWASAKI KX112	KAWASAKI KXF250	KAWASAKI KXF250X	KAWASAKI KXF450	KAWASAKI KXF450XC	KAWASAKI KXF450SR
<b>Model Year</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>
<b>Bore</b>	48.5 mm	52.5 mm	78 mm	78 mm	96 mm	96 mm	96 mm
<b>Stroke</b>	45.8 mm	51.6 mm	52.2 mm	52.2 mm	62.1 mm	62.1 mm	62.1 mm
<b>Displacement</b>	84cc	112	249cc	249cc	449cc	449cc	449cc
<b>Cylinder Liner</b>	Electrofusion	Electrofusion	Nikasil	Nikasil	Nikasil	Nikasil	Nikasil
<b>Carburetion</b>	Keihin PWK28mm	Keihin PWK28mm	Keihin DFI 44mm	Keihin DFI 44mm	Keihin DFI 44mm	Keihin DFI 44mm	Keihin DFI 44mm
<b>Transmission</b>	6 Gears	6 Gears	5 Gears	5 Gears	5 Gears	5 Gears	5 Gears
<b>Front Suspension Travel</b>	KYB 36mm Inverted Telescopic / 10.8 in.	KYB 36mm Inverted Telescopic / 10.8 in.	SHOWA 48mm SFF Type 2 Fork / 12 in.	SHOWA 48mm SFF Type 2 Fork / 12 in.	SHOWA Coil Spring Inverted Fork / 12 in.	SHOWA Coil Spring Inverted Fork / 12 in.	SHOWA Coil Spring Inverted Fork / 12 in.
<b>Rear Suspension Travel</b>	KYB Single Shock / 10.8 in.	KYB Single Shock / 10.8 in.	SHOWA Single Shock / 12.1 in.	SHOWA Single Shock / 12.1 in.	SHOWA Single Shock / 12.1 in.	SHOWA Single Shock / 12.1 in.	SHOWA Single Shock / 12.1 in.
<b>Wheelbase</b>	49.8 in.	51.6 in.	58.5 in.	58.3 in.	58.3 in.	58.3 in.	58.5 in.
<b>Overall Length</b>	72 in.	75.6 in.	86.2 in.	85.8 in.	85.8 in.	85.6 in.	86 in.
<b>Front Wheel Size</b>	17 in.	19 in.	21 in.	21 in.	21 in.	21 in.	21 in.
<b>Rear Wheel Size</b>	14 in.	16 in.	19 in.	18 in.	19 in.	18 in.	19 in.
<b>Seat Height</b>	32.7 in.	34.3 in.	37.6 in.	37.2 in.	37.8 in.	37.4 in.	37.6 in.
<b>Class 1 51cc Limited 4-6</b>							
<b>Class 2 51cc Limited 7-8</b>							
<b>Class 3 51cc Limited 4-8 (O.I.)</b>							
<b>Class 4 51cc Limited 4-8 Single or Multispeed Auto</b>							
<b>Accessories or extra parts included in bike purchase IE Pistons, mapping tools, Air box Manuals</b>							

Updated 3/7/2025



**APPROVED**  
**2025 AMA Racing Minicycles/Motorcycles**

For questions, please contact  
 mxracing@ama-cycle.org

Manufacturer Model	KOVE 250F	KTM SX-E-5	KTM 50 SX Mini	KTM 50 SX	KTM 50 SX Factory Edition	KTM 65 SX	KTM 85 SX
<b>Model Year</b>	<b>2025</b>	<b>2025</b>	<b>2024</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>
<b>Bore</b>	79 mm	n/a	39.5 mm	39.5 mm	39.5 mm	45.0 mm	47.0 mm
<b>Stroke</b>	51 mm	n/a	40.7 mm	40.7 mm	40.7 mm	40.8 mm	48.95 mm
<b>Displacement</b>	249cc	n/a	49.0cc	49.0cc	49.0cc	64.9cc	84.9cc
<b>Cylinder Liner</b>		Electric	Plated	Plated	Plated	Plated	Plated
<b>Carburetion</b>	Bosch PGM FI 44mm	21Ah/907.Wh	Dell'Orto 12mm	Dell'Orto 19mm	Dell'Orto 19mm	Mikuni 24mm	Keihin 28mm
<b>Transmission</b>	6 speed	Single Auto	Single auto	Single Auto	Single Auto	6 Gears	6 Gears
<b>Front Suspension Travel</b>	YU-AN 49mm Spring Inverted 12 in	XACT WP AER 35 / 8.7 in.	XACT 35 WP USD 35mm	XACT WP USD 35 / 205.	XACT WP USD 35 / 8.7 in.	XACT WP USD 35 / 10.94 in.	XACT WP USD 43 / 10.94.
<b>Rear Suspension Travel</b>	YU-AN Spring 12.4 in	XACT WP Single Shock / 7.2 in.	XACT WP / 6.7 in.	XACT WP 3614 BAEM / 7.2 in.	XACT WP 3614 BAEM / 7.2 in.	XACT WP 3614 BAVP /12 in.	XACT WP 12 in.
<b>Wheelbase</b>		40.6	35.98 in.	40.63 in.	40.63 in.	44.76 in.	50.79 in.
<b>Overall Length</b>	85.3		N/A	N/A	N/A	N/A	N/A
<b>Front Wheel Size</b>	21 in.	12in	10 in.	12 in.	12 in.	14 in.	17 in.
<b>Rear Wheel Size</b>	19 in.	10in	10 in.	10 in.	10 in.	12 in.	14 in.
<b>Seat Height</b>	37.7 in	26.2	21.97 in.	26.2 in.	26.2 in.	29.53 in.	34.05
<b>Class 1 51cc Limited 4-6</b>		<b>Yes</b>	<b>Yes</b>	<b>No</b>	<b>No</b>		
<b>Class 2 51cc Limited 7-8</b>		<b>Yes</b>	<b>Yes</b>	<b>Yes</b>	<b>Yes</b>		
<b>Class 3 51cc Limited 4-8 (O.I.)</b>		<b>Yes</b>	<b>Yes</b>	<b>No</b>	<b>No</b>		
<b>Class 4 51cc Limited 4-8 Single or Multispeed Auto</b>		<b>Yes</b>	<b>Yes</b>	<b>No</b>	<b>No</b>		
<b>Accessories or extra parts included in bike purchase IE Pistons, mapping tools, Air box Manuals</b>		<b>Charger</b>					

Updated 3/7/2025



**APPROVED**  
**2025 AMA Racing Minicycles/Motorcycles**

For questions, please contact  
 mxracing@ama-cycle.org

Manufacturer Model	KTM 85 SX Big Wheel	KTM 125 SX	KTM 150 SX	KTM 250 SX	KTM 250 SXF	KTM 250 SXF Factory Edition	KTM 300 SX
<b>Model Year</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>
<b>Bore</b>	47.0 mm	58.0 mm	54.0 mm	66.4 mm	81.0 mm	81.0 mm	72.0 mm
<b>Stroke</b>	48.95 mm	54.5 mm	54.5 mm	72.0 mm	48.5	48.5	72.0 mm
<b>Displacement</b>	84.9cc	124.8cc	144cc	249cc	249.7cc	249.7cc	292.9cc
<b>Cylinder Liner</b>	Plated	Plated	Plated	Plated	Plated	Plated	Plated
<b>Carburetion</b>	Keihin 28mm	Mikuni 38mm	Mikuni 38mm	Mikuni 38mm	Keihin EFI 44mm	Keihin EFI 44mm	Mikuni 38mm
<b>Transmission</b>	6 Gears	6 Gears	6 Gears	5 Gears	5 Gears	5 Gears	5 Gears
<b>Front Suspension Travel</b>	XACT WP USD 43 / 10.94.	XACT WP USD 48 / 310 mm.	XACT WP USD 48 / 310 mm.	XACT WP USD 48 / 310 mm.	XACT WP 48 / 310 mm.	XACT WP 48 / 310 mm.	XACT WP USD 48 / 310 mm.
<b>Rear Suspension Travel</b>	XACT WP 12 in.	XACT WP 300 mm.	XACT WP 300 mm.	XACT WP 300 mm.	XACT WP 300 mm.	XACT WP 300 mm.	XACT WP 300 mm.
<b>Wheelbase</b>	50.79 in.	58.5 in.	58.5 in.	58.5 in.	58.5 in.	58.5 in.	58.5 in.
<b>Overall Length</b>	N/A	N/A	N/A	N/A	N/A	N/A	N/A
<b>Front Wheel Size</b>	19 in.	21 in.	21 in.	21 in.	21 in.	21 in.	21 in.
<b>Rear Wheel Size</b>	16 in.	19 in.	19 in.	19 in.	19 in.	19 in.	19 in.
<b>Seat Height</b>	35.03	37.4 in.	37.4 in.	37.4 in.	37.4 in.	37.4 in.	37.4 in.
<b>Class 1 51cc Limited 4-6</b>							
<b>Class 2 51cc Limited 7-8</b>							
<b>Class 3 51cc Limited 4-8 (O.I.)</b>							
<b>Class 4 51cc Limited 4-8 Single or Multispeed Auto</b>							
<b>Accessories or extra parts included in bike purchase IE Pistons, mapping tools, Air box Manuals</b>							

Updated 3/7/2025



**APPROVED**  
**2025 AMA Racing Minicycles/Motorcycles**

For questions, please contact  
 mxracing@ama-cycle.org

<b>Manufacturer Model</b>	<b>KTM 350 SXF</b>	<b>KTM 450 SXF</b>	<b>KTM 450 SXF Factory Edition</b>	<b>SUZUKI RM85</b>	<b>SUZUKI RM-Z250</b>	<b>SUZUKI RM-450</b>
<b>Model Year</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2024</b>	<b>2025</b>	<b>2025</b>
<b>Bore</b>	88.0 mm	95.0 mm	95.0 mm	48.0 mm	77.0 mm	96.0 mm
<b>Stroke</b>	57.5 mm	63.4 mm	63.4 mm	46.8 mm	53.6 mm	62.1 mm
<b>Displacement</b>	349.7cc	449.9cc	449.9cc	84.7cc	249cc	449cc
<b>Cylinder Liner</b>	Plated	Plated	Plated	SCEM	SCEM	SCEM
<b>Carburetion</b>	Keihin EFI 44mm	Keihin EFI 44mm	Keihin EFI 44mm	Keihin PE28	Keihin 44mm EFI	Keihin 44mm EFI
<b>Transmission</b>	5 Gears	5 Gears	5 Gears	6 Gears	5 Gears	5 Gears
<b>Front Suspension Travel</b>	XACT WP 48 / 310 mm.	XACT WP 48 / 310 mm.	XACT WP 48 / 310 mm.	Showa Telescopic / 10.8 in.	KYB Inverted Telescopic / 12.2 in.	Showa Inverted Telescopic / 12.2 in.
<b>Rear Suspension Travel</b>	XACT WP 300 mm.	XACT WP 300 mm.	XACT WP 300 mm.	Showa 10.9 in.	KYB 12.2 in.	Showa 12.2 in.
<b>Wheelbase</b>	58.5 in.	58.5 in.	58.5 in.	48.8 in.	58.4 in.	58.3 in.
<b>Overall Length</b>	N/A	N/A	N/A	71.1 in.	85.4 in.	86.2 in.
<b>Front Wheel Size</b>	21 in.	21 in.	21 in.	17 in.	21 in.	21 in.
<b>Rear Wheel Size</b>	19 in.	19 in.	19 in.	14 in.	19 in.	19 in.
<b>Seat Height</b>	37.4 in.	37.4 in.	37.4 in.	33.5 in.	37.6 in.	37.8 in.
<b>Class 1 51cc Limited 4-6</b>						
<b>Class 2 51cc Limited 7-8</b>						
<b>Class 3 51cc Limited 4-8 (O.I.)</b>						
<b>Class 4 51cc Limited 4-8 Single or Multispeed Auto</b>						
<b>Accessories or extra parts included in bike purchase IE Pistons, mapping tools, Air box Manuals</b>						

Updated 3/7/2025



**APPROVED**  
**2025 AMA Racing Minicycles/Motorcycles**

For questions, please contact  
 mxracing@ama-cycle.org

Manufacturer Model	TRIUMPH	TRIUMPH	TM MX85	TM MX85 Factory Edition	TM MX112	TM MX125
<b>Model Year</b>	<b>2025</b>	<b>2025</b>	<b>2023</b>	<b>2023</b>	<b>2023</b>	<b>2023</b>
<b>Bore</b>	78mm	95	47.95 mm	47.95 mm	52 mm	54 mm
<b>Stroke</b>	52.3	63.4	47 mm	47 mm	52.6 mm	54.50 mm
<b>Displacement</b>	249.95cc	449.98cc	84.83cc	84.83cc	111.8cc	124.7cc
<b>Cylinder Liner</b>	N/A	N/A	N/A	N/A	n/a	N/A
<b>Carburetion</b>	Dellorto 44mm EFI	Dellorto 44mm EFI	Keihin 28 mm	Keihin 28 mm	Keihin 38 mm	Keihin 38 mm
<b>Transmission</b>	5 Gears	5 Gears	6 Gears	6 Gears	6 Gears	6 Gears
<b>Front Suspension Travel</b>	KYB 48mm 12.2	KYB 48mm 12.2	MUPO-38MM 11 in	MUPO-38MM 11 in	MUPO-38MM 11 in	KYB SSS Fork 48 mm 12.4 in
<b>Rear Suspension Travel</b>	KYB Mono 11.6	KYB Mono 11.6	Extreme Tech Single Shock 11.4 in	Extreme Tech Single Shock 11.4 in	Extreme Tech Single Shock 11.4 in	TM Racing Factory Single Shock / 11.8 in
<b>Wheelbase</b>	1495mm	1495mm	51 in	51 in	51 in	58.2 in
<b>Overall Length</b>	2189mm	2189mm	76.7 in	76.7 in	76.7 in	85.8 in
<b>Front Wheel Size</b>	21 in.	21 in.	17 in	17 in	19 in	21 in
<b>Rear Wheel Size</b>	19 in.	19 in.	14 in	14 in	16 in	19 in
<b>Seat Height</b>	951mm	951mm	34.6 in	34.6 in	34.6 in	37.7 in
<b>Class 1 51cc Limited 4-6</b>						
<b>Class 2 51cc Limited 7-8</b>						
<b>Class 3 51cc Limited 4-8 (O.I.)</b>						
<b>Class 4 51cc Limited 4-8 Single or Multispeed Auto</b>						
Accessories or extra parts included in bike purchase IE Pistons, mapping tools, Air box Manuals						

Updated 3/7/2025



**APPROVED**  
**2025 AMA Racing Minicycles/Motorcycles**

For questions, please contact  
 mxracing@ama-cycle.org

Manufacturer Model	TM MX144	TM MX250	TM MX250Fi	TM MX300	TM MX300 Fi	TM MX450 Fi
<b>Model Year</b>	<b>2023</b>	<b>2023</b>	<b>2023</b>	<b>2023</b>	<b>2023</b>	<b>2023</b>
<b>Bore</b>	56 mm	66.4 mm	77 mm	72 mm	81 mm	95 mm
<b>Stroke</b>	58.2 mm	72 mm	53.6 mm	72 mm	58.1 mm	63.4 mm
<b>Displacement</b>	143.3cc	249cc	249cc	293cc	299.4cc	449cc
<b>Cylinder Liner</b>	N/A	N/A	N/A	N/A	N/A	N/A
<b>Carburetion</b>	Keihin 38 mm	Keihin 38 mm	Keihin 41 mm	Keihin 38 mm	Keihin 41 mm	Keihin 41 mm
<b>Transmission</b>	6 Gears	5 Gears	6 Gears	5 Gears	6 Gears	5 Gears
<b>Front Suspension Travel</b>	KYB SSS Fork 48 mm 12.4 in	KYB SSS Fork 48 mm 12.4 in	KYB SSS Fork 48 mm 12.4 in	KYB SSS Fork 48 mm 12.4 in	KYB SSS Fork 48 mm 12.4 in	KYB SSS Fork 48 mm 12.4 in
<b>Rear Suspension Travel</b>	TM Racing Factory Single Shock / 11.8 in	TM Racing Factory Single Shock / 11.8 in	TM Racing Factory Single Shock / 11.8 in	TM Racing Factory Single Shock / 11.8 in	TM Racing Factory Single Shock / 11.8 in	TM Racing Factory Single Shock / 11.8 in
<b>Wheelbase</b>	58.2 in	58.3 in	58.3 in	58.3 in	58.3 in	58.3 in
<b>Overall Length</b>	85.8 in	85.6 in	85.6 in	85.6 in	85.6 in	85.6 in
<b>Front Wheel Size</b>	21 in	21 in	21 in	21 in	21 in	21 in
<b>Rear Wheel Size</b>	19 in	19 in	19 in	19 in	19 in	19 in
<b>Seat Height</b>	37.7 in	38.1 in	38.1 in	38.1 in	38.1 in	38.1 in
<b>Class 1 51cc Limited 4-6</b>						
<b>Class 2 51cc Limited 7-8</b>						
<b>Class 3 51cc Limited 4-8 (O.I.)</b>						
<b>Class 4 51cc Limited 4-8 Single or Multispeed Auto</b>						
<b>Accessories or extra parts included in bike purchase IE Pistons, mapping tools, Air box Manuals</b>						

Updated 3/7/2025



**APPROVED**  
**2025 AMA Racing Minicycles/Motorcycles**

For questions, please contact  
 mxracing@ama-cycle.org

Manufacturer Model	Yamaha PW50	Yamaha TTR50	Yamaha WR250F	Yamaha WR450F	Yamaha YZ65	Yamaha YZ85	Yamaha YZ85LW
<b>Model Year</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>
<b>Bore</b>	40 mm	36 mm	77.0 mm	97.0 mm	43.5	47.5 mm	47.5 mm
<b>Stroke</b>	39.2 mm	48.6 mm	53.6 mm	60.8 mm	43.6	47.8 mm	47.8 mm
<b>Displacement</b>	49cc	49cc	249cc	449cc	65cc	85cc	85cc
<b>Cylinder Liner</b>	Steel	Steel	Nikasil	Nikasil	Nikasil	Nikasil	Nikasil
<b>Carburetion</b>	Mikuni 12mm	Mikuni 11mm	Mikuni YFI 44mm	Mikuni YFI 44mm	Keihin PWK 28mm	Keihin PWK 28mm	Keihin PWK 28mm
<b>Transmission</b>	Shaft	3 Gears	5 Gears	5 Gears	6 Gears	6 Gears	6 Gears
<b>Front Suspension Travel</b>	YMHS Conventional 2.4 in.	YMHS Conventional 3.8 in.	Kayaba Inverted Fork 12.2 in.	Kayaba Inverted Fork 12.2 in.	KYB Inverted Fork 8.5 in.	KYB Inverted 10.8 in.	KYB Inverted 10.8 in.
<b>Rear Suspension Travel</b>	YMHS Dual Shock / 2.0 in.	YMHS Dual Shock / 2.8 in.	Kayaba Single Shock / 12.5 in.	Kayaba Single Shock / 12.5 in.	KYB Single Shock 10.6 in.	KYB Single Shock / 11.1 in.	KYB Single Shock / 11.1 in.
<b>Wheelbase</b>	33.7 in.	36.4 in.	58.5 in.	58.3 in.	45.0 in.	49.5 in.	50.6 in.
<b>Overall Length</b>	49 in.	51.4 in.	86 in.	85.8 in.	63.5	71.7 in.	74.6 in.
<b>Front Wheel Size</b>	10 in.	10 in.	21 in.	21 in.	14 in.	17 in.	19 in.
<b>Rear Wheel Size</b>	10 in.	10 in.	18 in.	18 in.	12 in.	14 in.	16 in.
<b>Seat Height</b>	19.1 in.	21.9 in.	38.2	37.6 in.	29.5 in.	33.1 in.	34.8 in.
<b>Class 1 51cc Limited 4-6</b>	<b>Yes</b>						
<b>Class 2 51cc Limited 7-8</b>	<b>Yes</b>						
<b>Class 3 51cc Limited 4-8 (O.I.)</b>	<b>Yes</b>						
<b>Class 4 51cc Limited 4-8 Single or Multispeed Auto</b>	<b>Yes</b>						
<b>Accessories or extra parts included in bike purchase IE Pistons, mapping tools, Air box Manuals</b>							

Updated 3/7/2025



**APPROVED**  
**2025 AMA Racing Minicycles/Motorcycles**

For questions, please contact  
 mxracing@ama-cycle.org

Manufacturer Model	Yamaha YZ125	Yamaha YZ125 Monster	Yamaha YZ125X	Yamaha YZ250	Yamaha YZ250 Monster	Yamaha YZ250X
<b>Model Year</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>
<b>Bore</b>	54 mm	54 mm	54 mm	66.4 mm	66.4 mm	66.4 mm
<b>Stroke</b>	54.5 mm	54.5 mm	54.5 mm	72 mm	72 mm	72 mm
<b>Displacement</b>	124cc	124cc	124cc	249cc	249cc	249cc
<b>Cylinder Liner</b>	Nikasil	Nikasil	Nikasil	Nikasil	Nikasil	Nikasil
<b>Carburetion</b>	Keihin 38mm	Mikuni TMX 38mm	Mikuni TMX 38mm	Keihin 38mm	Keihin 38mm	Keihin 38mm
<b>Transmission</b>	6 Gears	6 Gears	6 Gears	5 Gears	5 Gears	5 Gears
<b>Front Suspension Travel</b>	Kayaba Inverted 11.8 in.	Kayaba Inverted 11.8 in.	Kayaba Inverted 12.2 in.	Kayaba Inverted Fork 11.8 in.	Kayaba Inverted Fork 11.8 in.	Kayaba Inverted Fork 11.8 in.
<b>Rear Suspension Travel</b>	Kayaba Single Shock / 12.4 in.	Kayaba Single Shock / 12.4 in.	Kayaba Single Shock / 12.5 in.	Kayaba Single Shock / 12.4 in.	Kayaba Single Shock / 12.4 in.	Kayaba Single Shock / 12.4 in.
<b>Wheelbase</b>	56.8 in.	56.8 in.	57.3 in.	58.5 in.	58.5 in.	58.5 in.
<b>Overall Length</b>	84.1 in.	84.1 in.	84.3 in.	85.7	85.7	85.7
<b>Front Wheel Size</b>	21 in.	21 in.	21 in.	21 in.	21 in.	21 in.
<b>Rear Wheel Size</b>	19 in.	19 in.	18 in.	19 in.	19 in.	19 in.
<b>Seat Height</b>	38.6 in.	38.6 in.	37.6 in.	38.4 in.	38.4 in.	38.4 in.
<b>Class 1 51cc Limited 4-6</b>						
<b>Class 2 51cc Limited 7-8</b>						
<b>Class 3 51cc Limited 4-8 (O.I.)</b>						
<b>Class 4 51cc Limited 4-8 Single or Multispeed Auto</b>						
Accessories or extra parts included in bike purchase IE Pistons, mapping tools, Air box Manuals						

Updated 3/7/2025





**APPROVED**  
**2025 AMA Racing Minicycles/Motorcycles**

For questions, please contact  
 mxracing@ama-cycle.org

<b>Manufacturer Model</b>	<b>Yamaha YZ250F</b>	<b>Yamaha YZ250F Monster</b>	<b>Yamaha YZ250FX</b>	<b>Yamaha YZ450F</b>	<b>Yamaha YZ450F Monster</b>	<b>Yamaha YZ450FX</b>
<b>Model Year</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>	<b>2025</b>
<b>Bore</b>	77.0 mm	77.0 mm	77.0 mm	97.0 mm	97.0 mm	97.0 mm
<b>Stroke</b>	53.6 mm	53.6 mm	53.6 mm	60.8 mm	60.8 mm	60.8 mm
<b>Displacement</b>	249cc	249cc	249cc	449cc	449cc	449cc
<b>Cylinder Liner</b>	Nikasil	Nikasil	Nikasil	Nikasil	Nikasil	Nikasil
<b>Carburetion</b>	Mikuni YFI 44mm	Mikuni YFI 44mm	Mikuni YFI 44mm	Mikuni YFI 44mm	Mikuni YFI 44mm	Mikuni YFI 44mm
<b>Transmission</b>	5 Gears	5 Gears	5 Gears	5 Gears	5 Gears	5 Gears
<b>Front Suspension Travel</b>	Kayaba Inverted Fork 12.2 in.	Kayaba Inverted Fork 12.2 in.	Kayaba Inverted Fork 12.2 in.	Kayaba Inverted Fork 12.2 in.	Kayaba Inverted Fork 12.2 in.	Kayaba Inverted Fork 12.2 in.
<b>Rear Suspension Travel</b>	Kayaba Single Shock / 12.5 in.	Kayaba Single Shock / 12.5 in.	Kayaba Single Shock / 12.5 in.	Kayaba Single Shock / 12.5 in.	Kayaba Single Shock / 12.5 in.	Kayaba Single Shock / 12.5 in.
<b>Wheelbase</b>	58.5 in.	58.5 in.	58.5 in.	58.3 in.	58.3 in.	58.3 in.
<b>Overall Length</b>	86 in.	86 in.	86 in.	85.8 in.	85.8 in.	85.8 in.
<b>Front Wheel Size</b>	21 in.	21 in.	21 in.	21 in.	21 in.	21 in.
<b>Rear Wheel Size</b>	19 in.	19 in.	18 in.	19 in.	19 in.	18 in.
<b>Seat Height</b>	38.2	38.2	38.2	37.6 in.	37.6 in.	37.6 in.
<b>Class 1 51cc Limited 4-6</b>						
<b>Class 2 51cc Limited 7-8</b>						
<b>Class 3 51cc Limited 4-8 (O.I.)</b>						
<b>Class 4 51cc Limited 4-8 Single or Multispeed Auto</b>						
<b>Accessories or extra parts included in bike purchase IE Pistons, mapping tools, Air box Manuals</b>						

Updated 3/7/2025